

## Specifikacija proizvoda

### product specification

Datum štampe: <i>date of issue:</i> 26.10.2021	<b>ČAŠA / CUP</b> 125 ml Greiner SAP Material No.: 2039927	izradio: <i>created by:</i> O.Bjelica  Version 2.1
--	---	--

Dokument važi bez pečata i potpisa <i>This document was generated automatically and is valid although it is not signed.</i>	
<b>Opis proizvoda / Broj artikla</b> <i>description of article / article number</i>	CU1201-11199 164 PP BELA 1,3MM
<b>Kupac</b> <i>customer</i>	Milchoff Meran
<b>Kupčev broj artikla / opis</b> <i>customer's number / description</i>	
<b>Osnovni materijal</b> <i>basic material</i>	Polipropilen <i>Polypropylene</i>
<b>Debljina folije</b> <i>sheet/foil thickness</i>	1,30 mm
<b>boja</b> <i>color</i>	Bela <i>White</i>
<b>Oblast primene</b> <i>application area</i>	Prema Greiner-ovoj Izjavi o usaglašenosti za ovaj artikal.  <i>According to Greiner Declaration of Compliance of this article.</i>
<b>Sterilizacija</b> <i>sterilization</i>	Proizvod je pogodan za sterilizaciju vodonik peroksidom. Vreme kontakta I temperatura kontakta moraju biti testirani od strane kupca. <i>The articles are suitable for sterilization with hydrogen peroxide. The time of contact and contact temperature must be tested by the customer of the final packaging.</i>
<b>Tehnička ograničenja za upotrebu</b> <i>technical restrictions of use</i>	Nema ograničenja za punjenje na temperaturama 5°C - 35°C. Punjenje na drugim temperaturama samo nakon konsultacija. Parametri procesa, vruće punjenje, pasterizacija, skladištenje na temperaturama zamrzavanja I parametri zatvaranja moraju se razjasniti pre korišćenja ambalaže.  <i>No restrictions for filling at temperatures 5°C - 35°C. Other temperatures only after consultation. The processability, hot filling, pasteurisation, frozen storage and sealing parameters have to be clarified before use.</i>
<b>Proces proizvodnje</b> <i>manufacturing process</i>	Termoformiranje <i>Thermoforming</i>
<b>Mere prema crtežu</b> <i>measures according to drawing</i>	11199.01 15.05.2017.
<b>Masa...</b> <i>weight ...</i>	5,1 g
<b>Masa dekoracije</b> <i>weight decoration</i>	0 g
<b>Masa po komadu</b> <i>weight per piece</i>	5,1 g
<b>Tolerancije mase</b> <i>weight (tolerance)</i>	± 0,5 g
<b>Opterećenje pod pritiskom</b>	Min 100 N

<i>top load</i>	
<b>Pritisak zatvaranja</b> <i>nesting pressure</i>	
<b>Tip dekoracije</b> <i>type of decoration</i>	Bez None
<b>Materijal za sliviranje</b> <i>sleeve material</i>	
<b>Lepak</b> <i>glue</i>	
<b>Pakovanje</b> <i>packaging</i>	Kom.po redu/tacni / <i>pcs.p.stack;tray</i> 75 Kom. u kutiji / <i>pcs. per box</i> 1.875 Kom. na paleti / <i>pcs. per pallet</i> 33.750 Visina palete / <i>height of pallet</i> 190 cm
<b>Identifikacija</b> <i>identification</i>	Broj artikla, proizvođač, osnovni materijal <u>Na etiketi:</u> proizvođač, broj artikla i opis, količina, broj lota, podaci o kupcu, pečat pakera <u>Na paleti:</u> SSCC broj ----- <i>article number, manufacturer, basic material</i> <u>on label:</u> <i>manufacturer, article number and description, quantity, lot number, customer's information, manual stamp of packaging person</i> <u>on pallet label:</u> <i>order number of shipment: SSCC number</i>
<b>Sledljivost</b> <i>traceability</i>	Na etiketi: pečat pakera, dan, mesec, godina, lot Paleta: Etiketa sa SSCC brojem ----- <i>manual stamp of packaging person, day, month, year; lot number</i> <i>label with SSCC number</i>
<b>Uslovi transporta i skladištenja</b> <i>transport and storing conditions</i>	Na suvom, zaštićeno od prašine i neprijatnih mirisa, postavljanje palete jedna na drugu je dozvoljeno tek nakon konsultacija sa Greiner Packaging, temperature 5°C to 30°C, max 75 % r.v. Proizvodi koji su napravljeni od poliestera – kao što je PET – moraju biti zaštićeni od dejstva sunčevih zraka. Istovremeno, ovakvi proizvodi se nesmeju skladištiti na otvorenom prostoru.  <i>Dry, dust-free, free of disturbing smells, stacking of pallets on each other only after consultation with greiner packaging, temperatures 5°C to 30°C degrees Celsius, max. 75 % r.h. Products which are made of polyester – such as PET- must be protected from sunlight. Also such articles may not be stored outdoors.</i>
<b>Preporučeni način upotrebe</b> <i>recommended usage terms</i>	Iako se karakteristike proizvoda ne menjaju u toku korišćenja, mi preporučujemo rok upotrebe od godinu dana nakon proizvodnje jer može doći do gubljenja antistatičkih karakteristika usled dužeg skladištenja.  <i>Although materials don't get worse in usage, we recommend using the products within a year after manufacturing, as e.g. as antistatic characteristics do reduce after a long period of storage.</i>
<b>Mikrobiološke karakteristike</b> <i>microbiological characteristics</i>	Dozvoljeni limiti: Ukupan broj bakterija: ≤ 10 CFU /100cm <sup>2</sup> Maksimalno kvasaca i plesni: ≤ 3 CFU /100cm <sup>2</sup> Enterobacteriaceae: 0 CFU /100cm <sup>2</sup>  <i>Limits apply for resorbable CFU.</i> <i>Total bacterial count: ≤ 10 CFU /100cm<sup>2</sup></i> <i>Mould &amp; yeast: ≤ 3 CFU /100cm<sup>2</sup></i> <i>Enterobacteriaceae: 0 CFU /100cm<sup>2</sup></i>

**Označavanje (primer)**  
Labeling (example)

	Production date    Operator stamp	
	<div style="border: 1px solid black; padding: 5px;"> <p>DATUM: DATE : 21.05.2014</p> <p>PAKOVAO: PACKING:</p> </div>	
		Manufacturer
		Plant: 1962
		Production plant (RS - Nova Pazova)
		Lot - No.: GP14-05-157
		Batch number
	<p>Confirmation: Usaglasenost: 000000000</p>	
	<p>Content: </p>	<p>Quantity: </p>
		Unit
Product number	544/8 Poklopac LACIATY z Cebula	1140 ST
Product name		Quantity per box
	LI03-00-01 SZCZYPIOR LACIATY DEK. RADOM	Customer product name
	Greiner Art.Nr.: (10830)	1062573
		Customer number